

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



10% ISOBUTYL NITRITE




VEHICLE




0 1 4 10 20 30

MINUTES AFTER APPLICATION


FIG. 1



20% ISOBUTYL NITRITE




VEHICLE




0 1 4 10 20 30

MINUTES AFTER APPLICATION


FIG. 2



EXAMPLE 1




VEHICLE





0 1 5 10 30 60

MINUTES AFTER APPLICATION

FIG. 3



EXAMPLE 2



MINUTES AFTER APPLICATION

FIG. 4

EFFECT OF TOPICAL APPLICATION OF EXAMPLE 7
ON LABIAL/CLITORAL TEMPERATURE IN THE RABBIT




FIG. 5

EFFECT OF TOPICAL APPLICATION OF EXAMPLE 7
ON LABIAL/CLITORAL BLOOD FLOW IN THE RABBIT




FIG. 6